

AMENDMENTS TO CLAIMS

1. **(Currently Amended)** A distributed file system residing on a plurality of computers, the distributed file system having a namespace defining a directory structure of files and metadata that includes pointers to real-data, the file system comprising:
 - a) at least one server computer running server software for managing the namespace; ~~and~~
 - b) a network; and
 - c) ~~a plurality of~~ at least one client computer located separately ~~computers separate from the server computer~~ and in communication with the server computer over the network, each running client software, the client software
 - i) issuing namespace requests to the server computer over the network, each namespace request consisting of a filename and an operation encoded into a protocol interpretable by the server computer, the namespace requests selected from the group consisting of requests to add new filenames to the namespace, requests to remove existing filenames from the namespace, and requests to search the namespace for filenames, and
 - ii) directly retrieving, analyzing, and altering the metadata.
2. **(Original)** The file system of claim 1, wherein metadata includes allocation tables that store information identifying data as allocated and not allocated.
3. **(Original)** The file system of claim 1, wherein the client software directly generates metadata pointers to real-data.
4. **(Original)** The file system of claim 1, wherein the server software enforces file access permissions.
5. **(Currently Amended)** The file system of claim 1, wherein the server software manages the namespace in response to namespace requests from the client computer ~~computers~~, including requests to read a directory from the namespace.

6. **(Original)** The file system of claim 5, wherein the namespace search for filenames returns information necessary to retrieve the metadata.
7. **(Original)** The file system of claim 6, wherein the server software enforces file permissions during the namespace search.
8. **(Currently Amended)** The file system of claim 1, wherein the client ~~computer computers~~ directly responds to file system requests concerning a file from an application program.
9. **(Currently Amended)** A network of connected computing devices for implementing a shared storage distributed file system, the file system having a namespace, real-data, and metadata, the network comprising:
 - a) a network storage device connected to [a] the network;
 - b) a server computer that manages the namespace by retrieving and modifying directory files in response to namespace requests, including requests to add new filenames to ~~the namespace~~ directory files and to remove existing filenames from ~~the namespace~~ directory files; and
 - c) a client computer in network communication with the server computer and the network storage device, wherein the client computer
 - i) issues namespace requests to the server computer over the network communication,
 - ii) reads and writes the real-data directly from the network storage device, and
 - iii) creates, retrieves, and modifies the metadata.
10. **(Original)** The network of claim 9, wherein the client computer communicates with the server computer via a local area network, and the client computer communicates with the network storage device via a storage area network.
11. **(Original)** The network of claim 10, wherein namespace requests are communicated via the local area network.
12. **(Original)** The network of claim 10, wherein the client reads and writes the real-data via the storage area network.

13. **(Original)** The network of claim 9, wherein the client computer requests file attributes from the server computer.
14. **(Original)** The network of claim 13, wherein file attributes are communicated via the local area network.
15. **(Original)** The network of claim 9, wherein the client computer acquires a lock prior to modifying the metadata.
16. **(Original)** The network of claim 9, wherein the namespace requests include requests to search the namespace for filenames.
17. **(Original)** The network of claim 16, wherein the server computer enforces file access permissions during the namespace search.
18. **(Original)** The network of claim 9, wherein the client computer stores the metadata by requesting that the metadata be stored by the server computer.
19. **(Original)** The network of claim 18, wherein the server computer stores the metadata within a real-data file.
20. **(Original)** The network of claim 18, wherein the server computer is operating as the server of a client-server file system to store the metadata.
21. **(Original)** The network of claim 18, wherein the server computer stores the metadata on a server storage device locally attached to the server computer.
22. **(Original)** The network of claim 18, wherein the server computer stores the metadata on a server storage device different from the network storage device.
23. **(Currently Amended)** An improved file system operating as part of a client computer comprising:
 - a) a digital communication path to a storage device;
 - b) a network communication path to a server software program that runs on a server computer and operating a server software program that maintains a namespace based on requests from a client computer by receiving a namespace request from the client computer, reading the directory file corresponding to the request from the storage device, modifying the directory file, and writing the directory file to the storage device; and

- c) a client software program that runs on the client computer that responds to file system requests from an application program concerning a file, wherein the client software
 - i) obtains addressing metadata containing at least one pointer addressing real-data for the file,
 - ii) uses the addressing metadata to locate real-data associated with the file on the storage device, ~~and~~
 - iii) alters the addressing metadata for the file; and
 - iv) submits namespace requests across the network communication path to the server computer.
- 24. **(Original)** The improved file system of claim 23, wherein the server software adds new filenames to the namespace, removes existing filenames from the namespace, and searches the namespace for filenames.
- 25. **(Original)** The improved file system of claim 24, wherein the client software sends a namespace search request to the server software in order to obtain addressing metadata.
- 26. **(Original)** The improved file system of claim 25, wherein the server software enforces file access permissions during the namespace search.
- 27. **(Original)** The improved file system of claim 25, wherein the addressing metadata is found within an inode obtained by the client software.
- 28. **(Original)** The improved file system of claim 23, wherein the client software further obtains allocation table metadata concerning allocation of storage on the storage device and modifies the allocation table metadata when performing file allocation and de-allocation.
- 29. **(Original)** The improved file system of claim 28, wherein the allocation table metadata is a bitmap table.
- 30. **(Original)** The improved file system of claim 23, wherein the addressing metadata is found within an inode obtained by the client software.
- 31. **(Currently Amended)** An improved file system operating on a client computer and a server computer to access ~~comprising: a)~~ a storage device containing real-data and one or more direct pointers addressing the real-data, the improved file system comprising:

- [b] a) ~~a server software program that runs on a~~ residing on the server computer, the server software program
 - i) maintains a namespace, and
 - ii) stores an indirect pointer within the namespace related to a file, the indirect pointer addressing at least one file related direct pointer on the storage device; and
 - b) a client software program residing on the ~~that runs on a~~ client computer, the client computer being located separately from the server computer, the client software program ~~that~~ responds to file system requests from an application program concerning the file; the client software program further
 - i) obtains the indirect pointer for the file from the server software program,
 - ii) uses the indirect pointer to obtain the file related direct pointer directly from the storage device, and
 - iii) uses the file related direct pointer to read and write real-data associated with the file directly from the storage device.
32. **(Original)** The improved file system of claim 31, wherein the client software program modifies the file related direct pointer during file write operations.
33. **(Original)** The improved file system of claim 32, wherein the client software acquires a lock prior to modifying the file related direct pointer.
34. **(Original)** The improved file system of claim 31, wherein the server software services namespace requests from the client computer, including requests to add new filenames to the namespace, to remove existing filenames from the namespace, and to search the namespace for filenames.
35. **(Original)** The improved file system of claim 31, wherein the client software further obtains allocation table metadata concerning allocation of storage on the storage device and updates the allocation metadata when performing file allocation and de-allocation.
36. **(Original)** The improved file system of claim 35, wherein the client software acquires a lock prior to updating the allocation table metadata.

37. **(Currently Amended)** A client computer having an improved file system,
the file system providing access to data stored on a storage device,
comprising:
- a) ~~a storage device;~~
 - [b] a) a network connection to a server computer that is located
separately from the client computer and running server software
that maintains a namespace defining a directory structure of files
on the storage device, and
 - [c] b) client software residing and operating on a client computer in
network communication with the server computer and the storage
device, the client computer ~~running client software that~~
 - i) obtains allocation information concerning the allocation of
storage on the storage device, ~~and~~
 - ii) alters the allocation information for regular files during file
allocation and de-allocation, and
 - iii) submits namespace requests to the server computer over the
network connection;wherein the alteration of the allocation information is performed in
response to a request by an application program running on the
client computer.
38. **(Currently Amended)** The improved file system on the client computer of
claim 37, wherein the server software accesses and modifies the directory
structure in response to namespace requests from the client computer,
including requests to add new filenames to the namespace, to remove
existing filenames from the namespace, and to search the namespace for
filenames.
39. **(Currently Amended)** The improved file system on the client computer of
claim 37, wherein the client software acquires a lock prior to obtaining the
allocation information.
40. **(Currently Amended)** The improved file system on the client computer of
claim 37, wherein the client software further:
- iii) obtains addressing metadata locating real-data for a
particular file,

- iv) uses the addressing metadata to access real-data associated with the particular file on the storage device, and
 - v) alters the addressing metadata for the file.
41. **(Currently Amended)** The improved file system on the client computer of claim 40, wherein the client software acquires a lock prior to altering the addressing metadata.
42. **(Currently Amended)** The improved file system on the client computer of claim 37, wherein the allocation information is obtained from the storage device and the altered allocation information is stored on the storage device.
43. **(Currently Amended)** A network of connected computer devices comprising:
- a) a first computer running software for
 - i) managing a directory structure of files, and
 - ii) servicing directory requests, the directory requests including requests to add filenames to the directory, remove filenames from the directory, and search the directory; and
 - b) a second computer located separately from the first computer and running software for
 - i) submitting to the first computer directory requests relating to a file request, and
 - ii) analyzing and altering metadata relating to the file request, the metadata including pointers to real-data.
44. **(Original)** The network of claim 43, wherein the metadata includes data allocation information.
45. **(Original)** The network of claim 43, wherein the second computer directly responds to file requests from an application program.
46. **(Original)** The network of claim 43, wherein the first computer enforces file access permissions for requests received from the second computer.
47. **(Original)** The network of claim 46, wherein the first computer enforces file access permissions while adding a filename to a directory.
48. **(Original)** The network of claim 46, wherein the first computer enforces file access permissions while removing a filename from a directory.

49. **(Original)** The network of claim 46, wherein the first computer enforces file access permissions while searching for a filename within a directory.
50. **(Currently Amended)** A method for handling a file request from an application, the file request relating to real-data of a file, the real-data being stored on a network connected storage device, the method comprising:
- a) receiving the file request from the application at a client computer;
 - b) requesting an indirect extent pointer for the file from a server computer located separately from the client computer;
 - c) receiving the requested indirect extent pointer at the client computer;
 - d) using the indirect extent pointer to retrieve metadata from the storage device;
 - e) for a file read request, the client computer
 - i) analyzing the metadata to determine the locations of the real-data stored on the storage device, and
 - ii) reading the real-data from the storage device; and
 - f) for a file write request, the client computer
 - i) analyzing the metadata to determine the locations of the real-data stored on the storage device,
 - ii) allocating additional storage space to the file,
 - iii) writing real-data to the storage device,
 - iv) updating metadata, and
 - v) storing updated metadata on the storage device.
51. **(Original)** The method of claim 50, wherein during the allocation of additional storage space for the file write request, the client computer retrieves, analyses, and modifies the allocation table metadata.
52. **(Currently Amended)** A method for handling file requests by a file system comprising:
- a) receiving the file request at a client computer;
 - b) requesting that a server computer located separately from the client computer perform a namespace search for the file of the request

- c) analyzing and altering metadata relating to the location of real-data of the file request at the client computer; and
 - d) saving on a storage device the metadata altered by the client computer.
53. **(Original)** The method of claim 52, wherein a lock is acquired prior to altering the metadata relating to the location of real-data.
54. **(Currently Amended)** A method for handling file requests by a file system comprising
- a) receiving the file request at a client computer;
 - b) requesting namespace data relating to the file request from a server computer located separately from the client computer;
 - c) analyzing and altering metadata at the client computer, the metadata relating to the allocation information of storage on a storage device; and
 - d) saving on the storage device the allocation information metadata altered by the client computer.
55. **(Original)** The method of claim 54, wherein the allocation information consists of bitmap tables.
56. **(Original)** The method of claim 54, wherein a lock is acquired prior to analyzing and altering allocation information metadata, and the lock is released after saving the allocation information.
57. **(Currently Amended)** A computer product, comprising:
a tangible computer readable medium having a computer program code embodied therein, said computer program code adapted to be executed to implement a method for handling file requests by a file system, the method comprising:
- a) receiving the file request at a client computer;
 - b) requesting that a server computer located separately from the client computer perform a namespace search for the file of the request
 - c) analyzing and altering metadata relating to the location of real-data of the file request at the client computer; and
 - d) saving the metadata altered by the client computer.

58. **(Currently Amended)** The file system of claim 1, wherein the file system is a shared storage distributed file system in which the client computer ~~computers~~ directly access the shared storage device.
59. **(Previously Presented)** The network of claim 50, wherein the storage device is a shared storage device, whereby the client computer directly access the shared storage device.